

selux



A R C A

LOOKBOOK



**SLEEK. MODERN.  
RELIABLE.**




## Arca

A rectangular, minimalistic look that is sleek and modern while maintaining high-performance and reliability. This pole top system luminaire is a visually comfortable pedestrian pathway luminaire, perfect for a college campus, bike path, or courtyard. The option of 1-4 heads and flexible arrangement of fixtures make Arca the perfect choice for a designer looking for a compact, efficient form with various design possibilities.



# Arca



## Flexible Arrangement - Sleek Design

Arca has a compact, sleek form that is enhanced by a square pole, which gives it a modern feel. Options include one to four heads that can be mounted at the same or varying levels. This flexible arrangement of fixtures gives the lighting designer many different options. The simple contemporary design is perfect for locations such as a pedestrian pathway, college campus, bike path, or courtyard.



## Energy Efficient

With Arca, you can now enjoy maintenance free, energy-saving LED technology without the harsh glare, which can be distracting. Perfectly suited to improve and enhance the comfort of parks, walkways, and courtyards Arca is an IDA Approved Dark Sky Friendly luminaire with fixed  $0^\circ$  mounting, 3000K CCT and no light above  $90^\circ$  from Nadir.



# COLOR


3000K

4000K

5000K

## Low Maintenance - Easy Installation

Pre-wired and mounted with set of rivnuts on pole for easy installation. The tool-less door lever is easy to open for maintenance.



## Selux Quality

The use of high quality, durable materials provide trouble free performance. Arca LED is IP66 rated and NRTL Wet with a fully gasketed head. High power, multi-die LED with primary reflectors and secondary linear structured lens with a Distribution Type II and >4000 lumens per head along with surge suppression.



Technical  
information



## Technical information

- up to 58W
- lifetime of LED modules and driver: Calculated > 100,000hr to (L70)
- ambient temperature up to 40°C MAX / -40°C MIN
- Sistema style mounting options for total flexibility
- the light output can be adjusted per reduced output levels when calling out light engine.
- CRI>80
- high pressure die cast aluminum
- PMMA diffuser
- tool free access
- delivered with attached power cord
- IP66, NRTL, IDA, RoHS

## SERVICE AND WARRANTY

Selux offers a 5 Year Limited Warranty to the original purchaser that the Arca luminaire shall be free from defects in material and workmanship for up to five (5) years from date of shipment. This limited warranty covers the fixture, LED driver and LED light engine when installed and operated according to Selux instructions.

For more details visit [selux.us](http://selux.us)

